BIOMETRICS

INDEX

Volumes 1–10

THE BIOMETRIC SOCIETY
NEW HAVEN, CONN.
1954

INTRODUCTION

Biometrics Index, Volumes 1–10

This index is detailed and generously cross-indexed to facilitate its use by those who are relatively unacquainted with biometry. A few rules which have been followed are stated for the users' guidance.

First, only one reference to any one topic will be found for each paper, abstract, or query, except that a second reference is given when a long paper returns to the topic in question after at least ten pages. The user should therefore look forward for additional material. Also, he should look *backward*, because the index refers to the page on which the indexed topic is named (usually) and this is sometimes the conclusion of a discussion.

Second, index references sometimes lead to a page on which the index topic is not specifically mentioned. For example, the design mentioned in volume 1, page 48, toward the bottom of the first column, is a Latin square and is so indexed, though that term does not appear.

Third, modifying phrases such as "method of" have been ignored. This is not true of adjectives, e.g. "minimum".

Fourth, a few listings have an element of editorializing, as when the statement in volume 2, page 17, beginning at line 15 of the second column is indexed under "inference".

Fifth, abbreviations have been avoided, but a few occur.

Sixth, errata are not listed under similar terms such as corrigenda.

Horace W. Norton

BIOMETRICS INDEX, VOLUMES 1–10

Absorbing state, 9:285
Acceptance area, 6:63, 192; 8:185, 299; 9:25, and see rejection area, tests computation, 6:62; 8:185
Accidents, 7:340; 8:275; 9:188, 266, 486; 10:245, and see Greenwood-Yule distribution
Action, see future action
Actuarial statistics, 1:4; 3:58, 129; 8:30, 90; 10:308, and see demography. Gompertz curve, life tables, medicine
Additivity, 2:24; 3:10, 23, 40, 50; 4:24, 254; 5:72, 84; 6:8; 7:14; 9:20, 290, 347, 389; 10:135, 145, 235, 562, and see analysis of variance, hypothesis, model, transformations
  non-additivity, 3:35; 5:84
  test of, 5:232; 10:413
Age distribution, 3:113; 5:19, 27, 217; 6:253; 7:156, 301, and see demography
Agronomy, 2:18, 36; 3:29, 42; 4:132, 171, 211, 234; 5:252; 7:39, 247; 8:386; 9:157, 296, 395, 498; 10:103, 118, 160, 162, 174, 304, 516, and see cereal chemistry, field experiments, field sampling, horticulture, long-term experiments, Mitscherlich's law, rotation experiments, selection of levels, soil
Aliases, 6:236; 10:5
  separation of, 6:246
Alinement charts, see nomography
Allometry, 4:14; 9:48, and see growth
All-or-none response, see quantal response
Analgesia, 2:87; 8:218, and see pharmacology
Animal breeding, 1:27; 2:21, 56; 3:54; 4:269; 5:71, and see inbreeding, plant breeding
Animal experiments, 2:54, 3:69; 4:5, 100; 6:193, 319, 363; 8:169; 9:430; 10:290, 304, and see design of experiments, poultry, twins
  use of identical twins, 8:187
Anthropology, 1:20; 2:50, 58, 97; 3:193; 4:247; 6:181; 7:122, and see demography, medicine
Antibiotics, 1:10, 40; 5:211, 317, 333; 6:242, 325, 347; 10:435
Approximate formulas, 2:96; 5:325; 7:266; 8:40, 298
Approximate significance levels, 2:74, 112; 3:28, 120; 4:263; 5:101, 325; 6:178, 191
Ascorbic acid, see vitamins
Association, see contingency
Attenuation, 2:103; 7:36
Average sample number, 6:65; 8:200; 9:263; 10:312
Bacteriology, 2:82; 3:175; 5:126, 163, 211, 277, 283, 289, 317, 333; 6:105, 120, 128, 169, 181, 290, 347; 7:120, 133, 271, 320, 334; 8:391; 9:185, 201, 260, 278, 320; 10:227, 423, 541, and see antibiotics, dilution series, extinction time, microbiological assay, sanitary engineering
Balancing, 8:170, and see paired comparisons, randomized blocks, selection
Bartlett's test, see homogeneity of variance, multivariate tests
Bayes' distribution, 10:308
Behrens-Fisher test, 3:64; 5:337; 6:192; 7:5, 19; 9:61
  power of, 6:192
Beta function, incomplete, 6:275, 378; 7:6; 9:13, 28, 282, and see F test
Between-block error, see interblock error
Bias, 1:13, 49, 84; 2:1, 3, 18, 22, 41, 44, 54, 76, 97, 111; 3:26, 94; 4:265; 5:31, 85, 297; 6:13, 100, 155, 176; 7:50, 160, 289, 297, 310, 353; 8:93, 234, 283, 290; 9:1, 61, 75, 258, 532; 10:5, 32, 119, 141, 178, 223, 263, 305, 470, 481, 545, and see Sheppard's correction
Binomial distribution, 1:43, 44, 60, 76, 81, 84; 2:97; 3:42, 45, 166, 175; 4:255; 6:1, 107, 180, 299, 346, 392; 7:276, 328; 8:1, 87, 221, 268, 323, 391; 9:28, 282, 291, 364, 467; 10:92, 130, 178, 246, 425, 464, 480, 523, and see distributions, Galton's quincunx, multinomial distribution, quantal response, sign test

compound, 6:80
modified, 6:173
negative, 3:43; 5:162, 165; 6:60, 103, 193; 7:356, 403; 8:281, 287, 390; 9:176, 197, 354; 10:167, 304, 419, 430
truncated, 10:405
Bioassay, 1:10, 39, 40, 41, 51, 57, 63; 2:30, 34, 83, 96, 109; 3:60, 62, 69, 172, 173; 4:104, 122, 153, 197; 5:83, 85, 86, 87, 127, 211, 261, 273, 300, 317, 330, 335; 6:99, 174, 175, 176, 320, 322, 413, 424, 432; 7:121, 200, 295, 302, 323, 327; 8:13, 51, 120, 176, 177, 206, 237, 370; 9:260, 266, 290, 304, 390, 405, 428, 431, 471; 10:178, 185, 208, 305, 306, 310, 541, 555, and see biometry, dose response curve, extinction time, Karber's method, microbiological assay, pharmacology, quantal reponse, Reed-Muench method, selection of dosages, sensitivity tests, survival time, time response curve, toxicology, transformations
factorially designed, 1:62; 2:83
human subjects, 8:232
interpretation of, 5:273; 6:100
non-linear response, 5:282
Biochemistry, 4:52, 144, 202; 5:329; 6:122, 322, 327, 342, 347, 395, 435; 7:39, 133, 185, 331; 8:175; 9:431
Biological assay, see bioassay
Biological measurement, see bioassay
Biological variation, 2:101; 3:15; 4:49, 199, 219; 5:128
Biomathematics, see biometry
Biometrics, see biometry
Biometric Society, 3:184; 4:82, 145, 216, 273; 5:90, 180, 254, 341; 6:69, 195, 300, 438; 7:127, 224, 303, 436; 8:97, 180, 273, 392; 9:111, 271, 535; 10:189, 315, 414, 571.
Biometry, 1:41, 47; 2:5, 34, 48, 82, 122; 3:61, 66, 145, 172; 4:1, 14, 91, 139, 140, 141, 143, 144, 156, 197, 217; 5:24, 117, 142, 273, 323; 6:75, 85, 145, 183, 184, 250, 320, 322, 330, 342, 347, 395, 413; 7:123, 134, 180, 186, 227, 335, 353, 391, 435; 8:13, 91, 100, 174, 210, 271, 307, 389, 390; 9:47, 90, 117, 201, 212, 260, 275, 320, 461, 471, 522; 10:147, 172, 177, 179, 185, 200, 227, 302, 307, 308, 313, 347, 361, 412, and see allometry, bioassay, growth, hypotheses, Mitscherlich's law, models, path coefficients, Weber-Fechner law
Biophysics, see biometry
Birth rank, 5:87; 8:112; 9:265; 10:442
Birth rate, 6:252; 7:155; 8:272; 9:212, and see demography
Block size, 10:73, 506, and see plot size
Blood counts, 3:175; 6:282, 390; 7:171; 8:55; 10:167, 222
Blood groups, 1:20, 35; 6:174
Borders, 2:57; 6:203; 9:158; 10:175, 297, and see plot size
Brownian motion, 6:183; 9:460
Calculation, see computation
Cancer, 1:3; 3:123; 4:51, 139; 6:103; 8:3, 16, 90, 271, 320; 9:278; 10:313, 431, 540
Canonical analysis, 10:7, 14, 35
Carry-over effect, 6:315; 8:230; 9:430; 10:176, 505, and see Latin squares in time
Case histories, 5:76, 77
Causation, 1:3, 75, 86; 2:15; 10:309, and see correlation
Cell division, 3:181; 7:133; 10:361, 455
Censored data, 8:308; 10:533, and see truncation
Census, 1:11; 7:155, 257, and see demography
sample 1:30; 2:76; 7:300; 8:286
Cereal chemistry, 2:26
Chain blocks, 7:124, 125; 9:127, 141, 263; 10:251
generalized, 10:251
table of, 10:256
Change-over design, see cross-over design
Characteristic function, 7:277; 8:117; 9:355, and see cumulants, moments
Check plot, 1:13, 14; 2:36, 57; 3:44; 5:83; 10:291, 298, 300, and see standard variety
Chemistry, 1:27, 41, 50; 3:61; 4:202; 5:87; 6:228, 233, 295; 7:56, 102, 330; 8:386; 9:135, 259; 10:1, 19, 306, and see biochemistry, cereal chemistry,

chain blocks, chemotherapy, compositing, industrial research, mass action, quantitative analysis, random walk, sanitary engineering, spectrography
Chemotherapy, 1:4, 59; 7:171
Chi square, 1:10, 15, 28, 39, 43, 60, 61, 76, 81, 84, 85; 2:9, 17, 37, 47, 74, 96, 111; 3:18, 91, 98, 125; 4:80, 137; 5:83, 88, 169, 251, 337; 6:17, 29, 60, 133, 137, 148, 178, 182, 185, 218, 259, 291, 298, 308, 321, 361, 375; 7:4, 114, 222, 283; 8:4, 18, 61, 114, 221, 272, 276, 288, 322, 345, 380; 9:108, 176, 255, 322, 354, 367, 473; 10:223, 233, 381, 397, 417, 459, 484, and see analysis of variance, contingency, continuity correction, fourfold table, gamma distribution, goodness of fit, minimum chi square estimate
analysis of, 5:140, 301; 6:178; 7:124; 9:259; 10:184, 417, 452
computation, 1:11, 55, 85; 4:80, 7:124, 283; 8:380; 10:453
inappropriate, 10:446
interpretation of, 7:115; 10:417
noncentral, 7:31; 10:419
power of, 10:142, 417, and see goodness of fit
small expectations, 6:17; 10:418
table, 2:112
Choice, see selection
Chromosomes, 1:7; 2:78; 4:1
Classification, see grouping, non-numerical data
Class mark, 8:20; 10:532, and see histogram
Clinical experiments, 1:3; 2:87, 95; 6:328; 8:188, 206, 218, 232; 9:260; 10:312
Clinical statistics, 1:3; 2:47; 3:110; 5:76, 95; 6:103, 328: 7:126; 8:174, 387
Clinical tests, 1:3; 5:77, 78; 6:399; 7:185, 240, 379, and see critical point, diagnosis, placebo
Coding, 5:79; 6:35; 8:324; 9:478, and see class mark
Coefficient of determination, 1:86; 5:123, and see correlation
Coefficient of variation, 1:50, 67; 2:3, 78; 3:26; 4:22; 5:161; 6:49, 110, 118; 8:59, 92, 108, 177; 9:43; 10:99, 221, 283, 296
of product, 8:64
Collaborative experiments, 6:322, and see comparisons of laboratories
Combination of data, 6:176; 7:121
Combination of estimates, 9:59; 10:101, 155
Combination of tests, see tests
Communcations, 8:268; 9:286
Comparisons, see analysis of variance, degrees of freedom, orthogonal polynomials, tests
dummy, 6:295
individual, 4:61, 106; 5:236
interblock, 2:55
intrablock, 2:55
method of, 2:74
non-orthogonal, 4:215, 240
of laboratories, 1:10; 6:290; 8:237; 10:103, 273
of means, 5:84, 99, 251
orthogonal, 2:61, 84; 3:7, 74; 4:71, 106, 133, 173, 215; 5:286; 8:376; 9:387 paired, 1:56, 63, 80; 2:30, 38, 50, 95; 3:25, 89, 92, 119; 4:211; 7:125, 312; 8:87, 95, 189; 9:32, 43, 109; 10:303, 375, 487, and see half-leaf method
selection of, see selection
Complement fixation, 4:200
Components, see correlation, covariance, variance
Composite design, 10:6, 33, 306
Compositing, 7:85
Computation, 1:69, 78; 2:15, 54, 55, 61, 84, 111; 3:62, 194; 5:55, 72, 289; 6:10, 221, 286, 305, 328, 360, 414; 7:200, 252, 337; 8:17, 36, 156, 179, 249, 325; 9:180, 291, 322, 358, 377; 10:31, 112, 138, 152, 172, 368, 421, 499, 551, and see coding, estimation, Gauss multipliers, graphics, iteration, Lagrange multipliers, matrices, method of moments, method of steepest descent, Newton's method, nomography, recurrence formulas, service, simultaneous equations, slide rule
accuracy of, 3:194; 8:179; 9:183, 307, 358; 10:432

approximate, 1:69
Conclusions, 1:8, 85; 2:29, 38, 48; 3:20; 5:96; 6:371; 7:101; 8:113; 9:209, 532; 10:308, and see future action, inference, tests
Concomitant observations, 2:28; 6:303; 8:169, and see analysis of variance, statistical control
Confidence limits, 1:8, 38, 57, 59, 76, 2:4, 9, 15, 63, 85, 96, 104, 111, 120; 3:14, 22, 86, 167; 4:185, 214, 237; 5:177, 208, 240, 252, 266, 283, 311, 333, 335; 6:14, 80, 101, 114, 175, 185, 194, 321, 323, 327, 394, 425, 435; 7:51, 94, 164, 200, 259, 301; 8:27, 40, 121, 179, 252, 287, 375, 391; 9:209, 313, 322; 10:94, 157, 168, 171, 182, 209, 304, 305, 309, 479, 555, and see tests
approximate, 1:59; 3:86; 6:137; 7:5
exact, 7:11; 8:375; 10:73
for correlation, 9:110
for function, 8:348
for missing value, 10:401
for percentage increase, 10:245
for proportion, 8:87; 10:171
for ratio, 5:336; 8:86
for regression, 9:205
for regression coefficient, 8:269
for variance components, 6:136; 7:5, 80
interpretation of, 2:107; 5:297; 7:198
multivariate, 7:53
not fiducial, 5:336
Confounding, 1:11, 31, 63; 2:55, 85; 3:69, 176; 4:54, 110, 240; 5:74, 145; 6:228, 236, 241, 329; 8:75, 123; 9:158, 298, 388, 434; 10:326, and see analysis of variance, design of experiments, factorial experiments
complete, 2:43; 9:299; 10:72
partial, 9:3, 158
table of systems, 4:61
Consultation, see service
Contagious distribution, 1:44; 2:76; 3:193; 7:405; 9:354; 10:167, 421, and see Polya distribution
Neyman's, 2:76; 6:103; 7:361; 9:184, 354
Contingency, 1:11, 56, 84; 2:16, 17, 47; 3:123; 6:178, 299; 7:283; 8:2, 61, 380; 9:108; 10:417, 452, and see chi square, correlation, fourfold table
Continuity correction, 1:11, 56, 84; 2:95; 3:46, 125; 6:299; 7:222; 8:222; 9:110; 10:137, 390, 420
inappropriate, 1:84; 5:339; 10:443
Contrasts, see comparisons
Control chart, 1:10, 40, 42, 74; 3:172; 4:125; 6:60, and see statistical control of quality
Control plot, see check plot
Correlation, 1:15, 31, 71, 75, 86; 2:27, 47, 55, 56, 67, 101; 3:45, 54, 98; 4:21, 40; 5:30, 88, 119, 172, 228; 6:119, 259; 7:34, 60, 140, 356; 8:3, 295, 330; 9:91, 108, 496; 10:184, and see attenuation, causation, coefficient of determination, contingency, correlated errors, covariance, regression, sampling, scatter diagram, z transformation
autocorrelation, 9:279, and see serial correlation
between relatives, see statistical genetics
biological, 2:48
biserial, 4:137; 6:400
canonical, 10:306
combination of, 1:86
components of, 9:352; 10:355
genetic, 9:251, 339; 10:355
intraclass, 2:57; 3:54; 4:269; 9:266
maximum, 3:105
mean with variance, 2:85; 6:318, 435; 10:117, 196
multiple, 2:27
non-normal data, 2:73
organic, 9:47; 10:180
partial, 2:27; 3:123; 4:163; 6:344; 8:11, 240
part with whole, 3:65; 4:160
rank, 2:69; 3:138; 9:108
ratio, 1:75; 2:56, and see analysis of variance
serial, 7:315, and see time series
spatial, 7:300, 9:420
spurious, 2:50; 3:65; 5:76; 7:366
tetrachoric, 3:126, and see chi square, fourfold table
within blocks, 10:61

Counting, 8:105; 10:221, 446, and see bacteriology, blood counts
Course of action, see future action
Courses in statistics, see statistics curricula
Covariance, 1:15, 20, 38; 2:15, 21, 43, 78; 3:97; 4:30, 195; 6:29; 7:34; 9:12, 222, 432; 10:272, 282, 307, 340, and see concomitant observations, correlation, dummy variates, error regression, matrices, regression, statistical control, variance
  adjustment, 3:34; 8:237; 10:176
  analysis of, 1:77; 2:21, 27, 53; 3:60, 65; 4:48, 153, 240; 5:72, 178, 279, 289; 6:15, 164, 184, 297, 303; 7:37, 124, 191, 313; 8:170, 387; 9:342, 437, 531; 10:285, 297, 504
    computation, 4:158; 5:72; 7:124; 9:432
    multiple, 5:117; 6:293
    multivariate, 6:381
  components of, 9:226, 341
  matrix, 3:104, 166; 4:178; 6:181, 213, 262, 376; 7:137, 247; 8:5, 24, 156, 335; 9:49, 207, 495; 10:11, 518, 534, 547
  multiple, 3:35; 6:293
  of estimates, 9:508
  of estimates of variance components, 7:5
  of products, 6:411
  of ratios, 6:411
Critical point, 6:403; 8:36
  approximate, 8:39
Critical ratio, 6:298
Critical region, see rejection area
Crossing over, 4:1; 6:182, and see linkage
Cross-over design, 1:63; 3:70; 6:193, 301, 312; 7:317; 9:430, 431, and see Latin square in time
Cumulants, 7:5, 140; 8:112; 9:11; 10:429, and see characteristic function, moments generating function, 10:543
Curve fitting, 2:82; 3:56; 4:197; 5:207; 7:236, 337; 10:303, and see estimation, fitting regression line, growth, orthogonal polynomials
Cut, significant, 7:50
Cycles, 1:7; 4:230; 5:38, 121, 219; 6:251; 9:280, 429, and see time series
Cytology, see cell division, crossing over
Death rate, see mortality
Decision, 2:16; 4:215; 5:100; 8:196, and see conclusions, tests
Defining contrast, 6:238
Degrees of freedom, 1:19, 37, 56, 60, 61, 85; 2:28, 35, 85, 111, 120, 121; 3:54, 64, 99; 4:238, 264; 5:232; 7:20, 317; 8:247; 9:60, 130, 502; 10:25, 110, 125, 303, 328, and see comparisons
  adjusted, 10:111
  effective, 7:8
  equivalent, 9:63
  fractional, 2:112; 10:410
Demography, 1:20; 2:58; 3:193; 7:155, 257; 8:272, and see actuarial statistics, age distribution, anthropology, birth rate, blood groups, census, death rate, medicine, public health, sex ratio
Dependent variable, see regression
Design of experiments, 1:11, 13, 16, 31, 42, 47, 49; 2:18, 26, 29, 36, 57, 77, 86, 109, 113, 123; 3:20, 175; 4:100, 123, 171, 213, 215, 240, 269, 277; 5:70, 169, 178, 252, 279; 6:110, 118, 127, 167, 201, 228, 301, 303, 376, 390, 424; 7:6, 51, 61, 85, 204, 252, 273, 312; 8:169, 206; 9:31, 39, 110, 260, 276, 290, 304, 428, 502, 522; 10:1, 89, 174, 176, 177, 183, 186, 187, 291, 308, 309, 312, 503, and see aliases, balancing, block size, chain blocks, components of variance, composite design, concomitant observations, confounding, cross-over design, defining contrast, dummy treatments, factorial experiments, field experiments, fractional replication, half-leaf method, incomplete blocks, interblock error, interblock information, intrablock error, lattices, long-term experiments, multifactor design, non-orthogonal design, optional stopping, organolepsis, orthogonal arrays, orthogonal squares, paired comparisons, parallelogram design, perennials, placebo, plot size, precision, randomization, ran-

domized blocks, replication, risk function, rotating factors, sampling, sequential experiments, split plots, staggered design, standard variety, systematic design, tree crops, triangle test, Youden square
for locating optimum, 10:3, 16, 177, 306, 323
Determinants, see matrices
Deviation, see variance
Diagnosis, 1:3; 3:110; 4:100; 5:76, 77; 6:172, 173, 282, 399; 7:241; 10:478, and see clinical tests, medicine
Differential equations, 4:207; 5:323; 6:356; 9:213, 286, 462
Digitalis, 1:10, 57; 3:65; 6:322
Dilution curve, 6:170
Dilution series, 2:82; 4:101; 5:128, 325; 6:105, 128, 181; 7:121; 9:333; 10:227, and see bacteriology, virology
Discriminant function, 3:104, 180; 5:78, 80; 6:184, 303; 7:122; 8:387; 9:34, 117; 10:170, 184, 312, and see multivariate analysis, scores
Disproportionate subclasses, 1:11; 2:21; 6:179; 7:11, 118, 318; 9:226, 253, 264, and see analysis of variance, fitting constants, method of expected subclass numbers, unequal subclasses
computation, 2:35
Distribution, 3:174, 4:218; 6:103, 110, 128, 174; 8:13, 93, 307, and see accidents, approximate significance levels, Bayes, binomial, characteristic function, chi square, contagious, cumulants, *D* statistic, Edgeworth series, exponential, gamma, Gompertz curve, goodness of fit, Gram-Charlier series, Greenwood-Yule, histogram, hypergeometric, intercept, J-shaped, Kapteyn's, kurtosis, logarithmic, logarithmic normal, moments, normal, Pearsonian, percentile, Poisson, Polya, populations, quantile, quartile, rectangular, sampling, skewness, studentized deviate, Thomas, U-shaped
approximate, 2:111; 6:259; 8:94; 9:60
asymptotic, 7:20; 8:288, and see normal distribution
bivariate, 2:97; 7:413; 8:332
compound, 7:119; 9:86
resolution of, 9:86
conditional, 3:164; 6:194; 7:22; 8:300; 10:397, 486, and see conditional probability
contagious, see contagious distribution
cumulative, 2:74
discontinuous, 8:117
discrete, 6:103, 128; 7:365; 9:11
empirical, 6:192
exact, 2:111; 5:81; 6:19, 178, 259, 285; 7:125; 8:112; 10:418
finite, see populations
fitting, see estimation
frequency, 1:73; 8:33
infectious, see contagious
joint, 6:28
marginal, 8:312; 9:47
mixing, 6:194
multivariate, 3:14; 5:78, 80, 242; 6:175, 259, 372; 7:181; 9:47; 10:180, 518
Neyman's, see contagious
normality of, 5:81
nuisance, 8:313
of chi square, 10:460
of differences, 8:85
of estimates, 6:415
of estimates of variance components, 2:110; 7:5
of events, 6:171; 7:134
of *F*, 3:24
of gaps, 5:109
of rank correlation, 2:69
of rank totals, 1:81; 2:68; 8:33
of scores, 2:68; 8:117
of *t*, 3:24
of weighted mean, 9:448
of *z*, 3:99
posterior, 6:190
prior, 6:194
radial, 9:460
spatial, 1:44; 2:5
truncated, 6:186; 7:120; 8:15
Dominance, 4:254; 6:154, 353; 7:18; 9:90, 349; 10:165, 235, 357
Doolittle method, 6:179, 381; 7:11, and see matrices
Dose response curve, 1:10, 40, 41, 50, 57; 2:34, 82, 85, 109; 3:74; 4:125, 197;

5:83, 85, 262, 281, 321, 330; 6:175, 326, 345; 7:122, 201, 335; 8:219, 239, 250; 9:305, 320; 10:173, 185, 227, and see time response curve
table, 9:324
Drosophila, 1:7, 55; 2:9, 78, 110; 4:9; 6:104, 214; 7:336; 10:239
D statistic, 6:175, and see multivariate analysis
Dummy treatments, 9:387, 403
Dummy variates, 2:43; 3:34; 4:241; 6:64, 311, and see covariance, missing values
Duo-trio test, 9:43, and see triangle test
Duplication, see replication
Ecology, 1:7, 11, 44, 47, 76; 2:1, 76; 3:59, 101, 145; 5:14, 28, 115, 162, 213; 6:59, 250, 353; 7:300; 8:89, 177, 286, 386; 9:117, 176, 275, 369; 10:183, and see entomology, fish, genetics, natural selection, peck order, populations, quadrat sampling
Economics, 1:67; 3:110; 6:256; 7:36, 100; 8:186; 9:505, and see cost of sampling Gompertz curve, identification, stochastic processes, structure, time series
ED 50, 1:39, 41, 57, 59; 3:172; 4:200; 5:85, 127; 6:229, 329, 413, 432; 7:126, 295, 302, 339; 8:29, 51, 120, 249; 9:320; 10:147
tables, 8:53, 253
Edgeworth series, 8:117
Efficiency, 1:11, 12, 14, 42, 44, 78, 81; 2:2, 29, 31, 34, 36, 54, 57, 78, 119, 123; 3:22, 25, 42, 75, 175; 4:74, 112, 122, 191; 5:5, 156, 166, 179, 199, 208, 288; 6:15, 45, 61, 189, 192, 202, 221, 247, 282, 302, 392; 7:10, 50, 101, 113, 158, 169, 217, 223, 247, 292, 302; 8:30, 92, 126, 170, 173, 204, 236, 279, 334; 9:103, 179, 197, 264, 304, 333, 447, 471, 476, 487; 10:33, 64, 286, 311, 317, 335, 482, 501, 509, 538, 553, and see estimation, maximum likelihood, nonparametric tests, sufficient statistics
asymptotic, 6:223; 7:338; 9:60
table, 7:219, 293; 10:539
Empirical formulas, 5:319; 9:458
Endocrinology, 1:11, 63; 2:85; 3:70, 99, 173; 4:122, 269; 5:49, 71, 176, 262, 278; 6:98, 363; 7:122, 323; 8:206; 9:431, 467; 10:313
Entomology, 1:12, 30, 47, 51; 2:1, 30, 57, 76; 3:44, 99, 193; 4:171; 5:83, 165; 6:257; 7:121; 8:172, 277, 383; 9:117, 178, 290, 365, 425; 10:119, 142, 302, 455, 505, 540, 562, and see Drosophila, toxicology
Epidemiology, 1:44; 3:173; 5:243; 7:320; 8:275; 9:285; 10:459, and see contagious distribution, infection interval, medicine, Polya, public health, rumors
Equiprobable ellipse, 4:28
Ergodicity, 9:284
Errata, 3:54, 138, 140; 4:246; 6:33, 168, 258; 7:222, 274; 9:106, 335, 534
Errors, theory of, 2:103; 3:23; 5:301; 7:33, 309; 9:92, 312, and see analysis of variance, attenuation, extrapolation, interpolation, least squares, maximum likelihood, models, rejection of data
correlated, 2:18; 7:58, 309; 10:61, 516, and see *F* test
correlation, 2:53; 3:32; 4:163
distribution, 3:26, and see normal distribution
gross, 3:27; 5:72, 288; 9:75; 10:425
heterogeneity of, 1:11; 2:27, 113; 3:28, 37; 6:14, 100; 10:516
interblock, 1:58; 4:60; 5:151; 6:25
intrablock, 1:58; 4:60; 5:154; 6:25; 8:75; 9:422
matrix, 3:377
mean square, 10:482, and see variance of classification, 10:478
of estimation, 5:168; 7:140
propagation of, 8:388
regression, 2:15, 43, 54; 4:159; 6:166, 297, and see analysis of covariance heterogeneity of, 1:11
term, proper, 1:18, 24, 27, 41, 43, 50, 62, 70; 3:25, 40, 91; 4:132, 268; 5:69, 72, 178; 6:166, 289, 434; 7:14, 70, 168; 8:169, 243, 385; 9:170, 312, 337; 10:236, 330, 407
Erythrocytes, 6:282; 7:171, 333, and see blood counts, hematology

Estimation, 1:28, 77; 2:96, 102; 3:3, 25; 4:6, 27, 58, 137, 219, 240, 248, 256; 5:33, 68, 84, 116, 165, 288, 306, 320; 6:25, 176, 181, 182, 186, 190, 221, 227, 251, 315, 390, 401, 413, 432; 7:120, 135, 240, 275, 295; 8:3, 13, 51, 183, 269, 278, 307; 9:33, 59, 75, 90, 121, 201, 262, 264, 291, 320, 375, 462, 485, 489; 10:94, 178, 180, 181, 184, 293, 402, 469, 481, 531, 557, and see bias, combination of estimates, efficiency, fitting constants, fitting regression line, game theory, information, least squares, maximum likelihood, method of moments, minimax, minimum chi square, minimum unlikelihood, minimum variance, populations, residual effects, scores, Sheppard's correction, small samples, sufficient statistics, theory of errors
graphical, 8:179
inefficient, 6:109
of components of covariance, 9:226
of derivatives, 10:5
of function, 8:27, 348
of maximum, see estimation of optimum
of median, 9:75
of optimum, 2:63; 4:171; 10:1
of potency, 3:86; 4:106, 124, 200; 5:266, 281, 309, 320; 6:99, 322, 345, 432; 8:19, 179, 249, 372; 9:313, 328; 10:209
of variance, 3:11, 97; 5:209; 6:60, 187; 7:66, 202; 8:77, 93, 237; 9:60, 462, 487; 10:238, 401
of variance components, 2:110; 4:229; 5:191; 6:179, 187; 7:3, 29, 70, 75, 85; 9:226
sequential, 6:193
unbiased, 2:97; 3:9; 6:286, 292; 7:4, 156, 279; 8:91, 269
Eulerian distribution, see gamma distribution
Evolution, 1:7, 27; 4:143, 218, 250; 8:177, 268; 9:117, and see ecology, genetics, natural selection, populations, taxonomy
Expectation, mathematical, 1:18; 2:8, 111; 3:119, 163; 4:64, 257; 5:86, 109, 308; 6:28, 60, 284; 7:3, 89, 140, 269, 285; 8:112, 239, 288; 9:56, 91, 197, 210, 232; 10:57, 143, 159, 182, 199, 330, 343, 381, 400, 427, 448, 459, 480, and see mean, moments
Expected subclass numbers, method of, 2:10; 7:11
Experimental design, see design of experiments
Exponential curves, 3:56; 6:395; 7:126, 247, and see asymptotic regression
Exponential distribution, 8:16
Extinction time, 5:127
Extrapolation, 5:229; 7:253; 10:4, 474, and see estimation, interpolation, theory of errors
Extreme deviate, 5:288; 9:13, 74, and see order statistics, tests
studentized, 5:107
Factor analysis, 7:61; 8:172; 10:22, 181, 183, and see multivariate analysis
Factorial analysis, see orthogonal comparisons
Factorial experiments, 1:10, 11, 31, 62; 2:26, 54, 77; 3:33, 40, 69, 175; 4:54; 5:145; 6:15, 79, 203, 228, 319, 362; 7:323; 8:1, 237, 387; 9:2, 169, 256, 259, 295, 304, 428, 467, 476, 502; 10:4, 303, 487, and see fractional replication, pseudofactorial
confounded, 2:43; 8:123; 9:158, 428
incomplete, 9:428
partially, see dummy treatments
Fatigue, 2:13; 7:345; 9:29, 44, 306; 10:61
Faulty analysis, 2:29; 3:101; 5:72; 8:3, 221
Fiducial limits, see confidence limits
Field experiments, 1:13, 26, 47; 2:18, 36, 44, 54; 3:33; 4:54, 109, 171; 5:1, 68, 144, 252; 6:201, 302, 303, 317; 7:21, 39, 167, 261, 300; 8:271; 9:157, 186, 395, 412; 10:291, 324, and see agronomy, borders, check plot, correlated errors, design of experiments, irrigation, long-term experiments, Mitscherlich's law, perennials, plot size, rotation experiments, soil, standard variety, tree crops, uniformity data
correlation with laboratory experiments, 1:42

optimum block shape, 5:145, 156
Field sampling, 1:29, 43; 2:1; 3:20, 41; 4:234; 5:190, and see forestry, soil
Fish, 1:36, 50, 73; 2:73; 3:145; 5:14, 27, 115, 213; 6:59; 7:171, 301; 8:286, 391, and see ecology, Lee's phenomenon, optimum catch, population management
scales, 1:73, 76; 5:15, 31, 217
Fitting constants, 1:37; 2:10, 22, 35, 43, 94; 4:245; 7:11, 118, 318; 8:3; 9:264, 293, 482; 10:236, 324, and see disproportionate subclasses, dummy variates, least squares, missing values
Fitting distribution, see estimation
Fitting regression line, 1:36; 2:28, 61; 3:162, 165; 5:320; 6:119, 180, 363; 7:23, and see covariance, least squares, regression
both variables subject to error, 2:101; 4:49; 5:87, 88, 207; 7:33, 106; 8:269; 10:167
Food technology, 2:64, 76; 3:104; 4:80; 5:190; 6:1, 295; 8:78; 9:39, 295; 10:24, 388, and see cereal chemistry, organolepsis
Forensic statistics, 6:435
Forestry, 1:16, 29, 67; 3:101; 5:174; 10:162, and see wood decay
Fourfold table, 1:55, 84; 2:47, 95; 3:123; 5:251; 8:220; 10:420, 441, 453, 478, and see chi square, contingency, continuity correction
F test, 1:19, 25, 26, 49, 70, 80; 2:14, 16, 27, 37, 38, 44, 56, 62, 74, 113; 3:14, 24, 54, 94, 96, 98, 137, 195; 4:268; 5:75, 102, 242, 250, 265; 6:130, 178; 7:6, 19, 51, 125, 168, 299; 8:125; 9:20, 147, 337, 414, 473, 529; 10:70, 108, 167, 196, 261, 287, 408, 440, 516, 562, and see analysis of variance, incomplete beta function, Pitman and Morgan F test, variance ratio
approximate, 4:263; 6:375; 7:20; 10:113, 410 table, 7:23
errors correlated, 1:71; 2:55; 6:265
F less than unity, 1:70; 2:56
F significantly small, 2:56
generalized, 7:61, and see multivariate analysis
interpretation of, see tests
non-normal data, 6:191
power of, 3:14; 7:6, 21, 125; 9:75; 10:267, 303
Fundamental curve, 4:197
Fungicides, 1:41, and see plant pathology
Future action, 1:8; 2:111; 5:297; 6:194, and see conclusions, inference, tests
Galton-Macalister distribution, see logarithmic normal distribution
Galton's quincunx, 2:97
Game theory, 6:190
Gamma distribution, 5:162, 301; 6:137, 194; 7:21, 360; 9:185, 375; 10:421, and see chi square
incomplete, 10:182
Gaussian distribution, see normal distribution
Gauss multipliers, 10:306
Generalized distribution, see multivariate distribution
Generating function, see characteristic function, cumulants, moments
Genetic advance, 2:77; 3:180; 6:204, 353; 9:90
Genetic combining ability, 2:78
Genetic correlation, 9:251, 339; 10:355
Genetic model, see models
Genetics, 1:7, 15, 55, 86; 2:28, 75; 3:55, 99, 123, 180; 4:1, 98, 138, 218, 254; 6:169, 175, 182, 186, 200, 207, 221, 344, 353; 7:18, 118, 270; 8:112, 173, 269, 388; 9:117, 205, 267; 10:164, 183, 184, 235, 405, 503, and see animal breeding, blood groups, cancer, cell division, chromosomes, crossing over, dominance, evolution, Drosophila, heritability, heterosis, inbreeding, linkage, mutation, natural selection, overdominance, path coefficients, plant breeding, random mating, recombination, selection-diffusion transformation, sex ratio, tetrads, viability
human, 3:193; 4:138; 8:112; 9:267; 10:184, 195, 309, 406, 445, and see birth rank
number of genes, 1:39; 2:78; 7:133
statistical, 1:27, 39; 9:125, 275, 336; 10:163, 164, 184, 307, 347

Genetic selection, 2:77; 3:180; 4:223; 6:104, 203, 208, 227, 353; 8:89, 176, 185; 9:90
tables for estimation of, 6:211
Genetic variance, 2:9; 4:254; 6:104, 141, 204; 7:75, 301; 8:89, 389; 9:337; 10:165, 312
Geometric series, 8:178
Gompertz curve, 7:247
Goodness of fit, 2:37; 5:320; 6:17, 146, 218, 361; 7:139, 396; 8:3, 18, 322; 9:122, 183, 279, 294, 322, 354; 10:33, 378, 396, 417, 460, and see chi square
power of chi square test of, 2:96; 8:272
Grading, see judging
Graeco-latin square, 8:171, and see orthogonal squares
Gram-Charlier series, 6:174
Graphics, 1:31, 41, 57, 73; 2:74, 83; 3:62, 151, 166; 4:199; 5:50, 83, 237, 339; 6:15, 120, 175, 180, 215, 328, 343, 345, 385, 432, 437; 7:200, 234, 260, 302, 328; 8:19, 120, 179, 191; 9:86, 201, 320, 463, 468, 476; 10:54, 150, 182, 187, 314, 538, 550, and see computation, nomography, probability paper, slide rule
Greenwood-Yule distribution, 9:375
Grouping, 1:38, 74, 76; 6:18, 171; 7:263; 8:19, 347; 10:538, and see chi square, Sheppard's correction
logarithmic, 8:22
Growth, 1:44, 73; 2:37; 3:58, 61, 172; 4:48, 139, 213, 240; 5:19, 27; 6:303, 310, 362, 395; 7:126, 135, 172, 247, 332; 8:271; 9:212, 260, 286; 10:302, 361, and see allometry, biometry, cell division, logistic curve, Robertson's equation, wound healing
compensation, 1:75
plant, 1:77; 2:37; 4:171; 10:282
G statistics, 2:96; 3:26, and see moments
Guard rows, see borders
Half-leaf method, 2:83
Half-plaid squares, 9:157, and see orthogonal squares
Harmonic analysis, 3:3
Hematology, 1:20, 37; 3:50, 172; 4:141, 143, 197, 200; 5:318; 6:184, 260, 282, 390, 435; 7:171, 185, 227, 331; 8:105, 390, and see blood counts, blood groups, erythrocytes, serology
Heredity, see genetics
Heritability, 4:223, 263; 6:104; 9:336; 10:312
estimation of, 9:90; 10:166
Hermite polynomials, 8:119
Heteroscedasticity, see scedasticity
Heterosis, 1:80; 2:75, 78; 3:180, and see overdominance
Histogram, 1:73; 5:220; 8:85; 9:124, and see class mark
bivariate, 2:97
Homoscedasticity, see scedasticity
Horticulture, 2:61, 76, 77, 78; 3:61, 139; 6:145, 164, 168; 7:300; 8:89; 9:39, 412, 428; 10:176, 387, 503, and see agronomy, perennials, tree crops
Hotelling's T, 7:61, 9:20, 259; 10:518, and see multivariate tests
Hypergeometric distribution, 7:276; 8:287, 391; 10:167, 308
Hypothesis, 1:38; 2:76, 82; 3:56, 61, 173, 181; 4:1, 80, 91, 249, 269; 5:162, 172, 274, 280; 6:122, 169, 259, 400; 7:114, 125, 354, 412; 8:35, 95, 96, 238, 276; 9:176, 244, 389; 10:33, 213, 311, 376, 517, and see models, tests
linear, 2:7, 22; 3:23, 95; 4:177; 5:73; 6:8; 7:1, 17, 71, 125; 8:2, 124; 9:11, 131, 229, 529; 10:199, 291
for variances, 7:17
non-null, 6:191
null, 1:8, 26, 70, 81; 2:13, 16, 18, 38, 68; 3:96, 98; 5:77, 81, 265, 339; 6:14, 178, 191, 299, 325, 372; 7:7, 17, 250, 299; 8:85, 112; 9:20, 28, 108, 416; 10:63, 92, 167, 170, 291, 408, 417, 448, 483, 487, 521
Identification, 5:88, 9:48
Immunology, 1:21; 3:172; 5:277; 6:320; 7:312; 8:177; 9:259; 10:171, 172, 173, 195, and see serology, tuberculin
Inbreeding, 1:27; 2:21, 75; 8:176; 9:344; 10:164, 360
Incomplete blocks, 1:12, 42; 2:30, 36, 42, 55, 78, 83, 115; 3:69, 176; 4:54; 5:1, 145, 285; 6:1, 44, 301; 7:117,

124, 125; 8:94, 95; 9:1, 31, 43, 59, 306; 10:375, 391, 487, and see lattices, randomized blocks, Youden square
doubly balanced, 7:117; 10:61
table, 10:82
balanced, 3:176; 4:103, 191, 213; 6:302, 362; 7:6; 8:66; 9:43, 242, 263; 10:61, 251, 301, 513
partially balanced, 3:178; 6:193, 302; 7:145; 8:66, 93, 122; 9:141, 261, 263; 10:273, 304, 511
table, 8:72
Incomplete experiments, 2:61, and see missing values
Incubation time, 6:344
Independent variable, see regression
Index of dispersion, 6:17, and see chi square
Induction, see inference
Industrial research, 5:175, 190; 6:228, 233, 290; 7:15, 102, 340; 8:17, 30, 75; 9:151, 259; 10:186, 187, 262, 273, 306, and see accidents, chemistry, physical science, statistical control
Infection interval, 5:243
Inference, 1:8, 70; 2:17, 104; 3:8; 4:218; 5:291; 6:189; 9:279; 10:308, and see conclusions, future action, tests
fiducial, 9:470; 10:100
Information, 1:38, 42, 78; 2:29, 43, 54, 122; 3:36, 42; 4:54, 185, 238; 5:69, 130; 6:2, 192, 194, 202, 221; 7:169, 219, 264; 8:11, 20, 33, 87, 170, 221, 334; 9:110, 175, 182, 198, 332, 469, 487, 523; 10:64, 132, 208, 286, 335, 405, 469, 539, and see analysis of variance, design of experiments, estimation, maximum likelihood, precision
expected, 7:269
interblock, 2:31, 35, 42, 55, 58, 115; 3:69; 4:62; 5:155; 6:26; 7:148, 287; 8:73, 93, 94, 122; 9:59, 146
intrablock, 2:35; 3:69; 4:62, 109; 6:26, 45; 7:148; 8:77, 122
matrix, 6:188, 213; 7:250, 268; 9:261
observed, 7:269
theory, 9:523
Instrumental variate, 7:34; 8:269
Integral equations, 3:58; 4:139; 9:461
Integration, 8:21
Interaction, 1:11, 15, 16, 31, 37, 41, 55, 85; 2:24, 26, 30, 62, 77; 3:10, 40, 50; 4:54, 101, 132, 212, 243; 5:72, 145; 6:15, 28, 51, 79, 234, 318, 366; 7:13, 18, 324; 8:5, 58, 264; 9:3, 171, 253, 264, 299, 414, 434; 10:21, 102, 165, 187, 255, 267, 494, 505, and see analysis of variance, main effect, models
as error term, 2:43; 3:91; 4:133; 6:10, 319; 7:14, 109; 8:75, 238; 9:256, 337, 416; 10:331, 346
generalized, 4:57
interpretation of, 9:388; 10:21
minimized, 3:51
of quality and quantity, 7:433; 9:387
Intercept distribution, 4:9
Interpolation, 2:121; 4:197; 8:51; 10:4, and see extrapolation, moving averages, theory of errors
Invariance, see information, variance
Irrigation, 9:157
Iteration, 1:39; 2:121; 3:166; 6:10, 182, 223, 305; 9:179, 278; 10:156, 320, and see computation, least squares, maximum likelihood
J-shaped distribution, 3:60; 7:376
Judging, 1:43, 48; 2:17, 76; 5:77; 6:1, 206; 9:107; 10:302, 305, 375, 524, and see organolepsis
contests, 2:67
number of samples, 6:1; 9:31
Kapteyn's distributions, 3:174
Karber's method, 4:197; 5:85; 6:321, 413, 432; 7:295; 10:150
Kurtosis, 6:103; 8:332; 9:11; 10:429, and see moments
Lagrange multipliers, 5:194; 7:28; 10:493
Largest value, see extreme deviate
Latent roots, 7:61; 9:389, and see matrices
Latin rectangle, 3:70, and see Latin square
analysis of variance of, 3:72
Latin square, 1:13, 26, 31, 42, 48, 77; 2:35, 41, 83, 87; 3:25, 28, 32, 70, 139; 4:6, 61, 118, 123; 5:1, 71, 102, 179, 305; 6:202, 289, 301, 318; 7:6,

261, 319; 8:169, 238; 9:3, 31, 158, 416; 10:155, 184, 239, 262, 290, 400, 507, and see cross-over design, Latin rectangle, orthogonal squares, quasilatin square
incomplete, 3:70; 6:302, and see Latin rectangle, in time, 2:87
effect of previous treatment, 2:89; 8:170
systematic, 7:167
Lattices, 1:13, 42; 2:36, 42, 55, 78; 3:176; 4:54, 109; 5:144; 6:1, 34, 301
balanced, 1:13; 4:108; 6:301; 9:43
cubic, 1:13; 4:112; 5:144; 7:146; 8:123
incomplete square, 6:34
latinized rectangular, 8:73; 9:32, 43
near-balance rectangular, 9:101
quadruple, 6:301
rectangular, 2:35, 115; 5:85; 6:25, 301; 7:145; 8:93, 94, 123; 9:43, 101; 10:292, and see latinized rectangular, near-balance rectangular, triple rectangular
unequal blocks, 7:287
simple, 1:12, 13; 6:301; 7:145; 8:93; 9:59
square, 1:12, 13; 2:42, 58, 78; 4:115; 6:301; 7:146; 8:94, 123
three-dimensional, see cubic
triple, 1:13; 2:36, 58; 4:60, 110; 6:301; 8:135
triple rectangular, 4:137; 5:1, 85; 7:145; 9:422
LD 50, see ED 50
Learning theory, 4:98; 9:280
Least significant difference, 1:80; 2:31; 3:79, 92; 4:214; 6:14; 9:43, 147; 10:167
Least squares, 1:36, 57, 78; 2:22, 37, 43, 94; 3:3, 8, 11, 163; 4:27, 178, 240, 248; 5:207, 228, 246; 6:10, 120, 177, 180, 187, 315, 397, 414; 7:106, 118, 125, 233, 247, 309; 8:43, 91, 124, 249, 384; 9:122, 131, 235, 291, 499; 10:29, 64, 108, 181, 227, 255, 292, 304, 335, 400, and see adjusted means, analysis of variance, curve fitting, estimation, fitting constants, fitting regression line, matrices, normal equations, residuals, theory of errors
damped, 9:505
iterative computation, 9:205, 291
Lee's phenomenon, 1:76
Life tables, 3:58, 59, 129; 4:51, and see acturial statistics, demography, Gompertz curve, mortality
Life, expectation of, 8:91
Likelihood, 7:28; 10:100, and see maximum likelihood
Likelihood-ratio estimate, 5:80; 6:378; 7:19, 125; 8:95, 185; 9:20; 10:63, 377, 492
Limnology, 5:14, 28, and see fish, plankton
Linear dependence, 2:23; 7:269, and see matrices
Linearity, 1:9, 10, 38; 3:149; 5:88, 261, 282, and see regression, tests
test of, 1:75; 3:137; 4:104; 5:88, 211, 266; 7:210: 10:213, 423
Linkage, 1:28, 85; 4:265; 5:305; 7:270; 8:173; 10:184, and see crossing over
Linked block design, see chain blocks
Logarithmic distribution, 5:162, 165; 7:121; 8:178; 9:177
Logarithmic normal distribution, 4:22; 6:103, 104, 147; 8:271, 273, and see normal distribution
discrete, 6:103
Logistic curve, 1:39, 44; 3:173; 4:200; 6:414; 7:247, 327; 8:249, 268; 9:266, 271; 10:178, 227, 310, 398, and see growth, logit transformation, populations
Longevity, see life tables
Long-term experiments, 1:16; 2:61; 6:194, 241, 315; 7:21; 8:14; 9:428, 429; 10:324, and see field experiments, perennials, rotation experiments, tree crops
Mail surveys, 9:265, and see sampling
Main effect, 1:31; 5:145; 6:315; 7:14; 8:5, 264; 9:389, and see analysis of variance, interaction
Markov, 6:339; 9:276; 10:361, and see stochastic processes
Masking, 9:17
Mass action, 7:332, 435
Matching, see balancing, paired comparisons

Mathematical biology, see biometry
Matrices, 6:251, 335, 372; 7:269, 284; 8:6; 9:49, 276, 499, 533; 10:365, 453, 518, and see covariance matrix, Doolittle method, error matrix, Gauss multipliers, information matrix, Lagrange multipliers, latent roots, linear dependence, multivariate analysis, simultaneous equations
  inverse, 4:178, 245, 248; 6:180, 380; 8:5, 339; 9:210, 237; 10:10, 306, 346, 370, 519, 534, 547
  square-root method, 8:9
  stochastic, 10:347
Maximum likelihood, 1:28, 76, 78; 3:26, 97; 5:83, 85, 86, 130, 166, 207, 305; 6:19, 104, 110, 129, 171, 187, 188, 194, 212, 224, 361, 413, 432; 7:4, 29, 120, 136, 240, 250, 268, 295, 328, 404, 8:1, 16, 95, 179, 249, 271, 279, 292, 316, 390; 9:33, 59, 96, 177, 194, 198, 261, 279, 291, 321, 365, 467, 485, 494, 501; 10:131, 178, 184, 227, 303, 377, 395, 402, 460, 488, 532, 545, 557, and see efficiency, estimation, information, minimum unlikelihood, theory of errors
  iterative computation, 5:83, 85, 131; 6:104, 171, 212, 414; 7:29, 136, 268; 8:24, 95, 179, 281, 317; 9:60, 96, 467, 476, 489, 503; 10:145, 403, 491, 533
Mean, 2:73; 3:26, 43, 163; 5:288; 6:60, 261; 7:9, 181; 9:75, 220, 523; 10:198, 307, and see expectation, median, mode, moments
  adjusted, 1:11; 2:15, 31, 35, 36, 53, 78, 118; 3:34, 69, 77, 84; 4:159, 177, 244; 5:5, 156; 6:27, 46; 7:313; 8:75; 9:146, 10:70, and see least squares
  geometric, 6:146
  harmonic, 5:306; 8:304
  of extremes, 5:288
  of function, 7:68
  semiweighted, 10:109
  weighted, 2:55; 3:78; 8:304; 9:59, 388, 447; 10:108, 556, and see semiweighted table, 10:110
Median, 2:74; 6:190; 8:30, 201; 9:75; 10:539, and see mean, mode
Median effective dose, see ED 50
Medicine, 1:3, 52; 2:47, 98; 3:99, 109, 123; 4:137; 5:81, 95, 127, 243, 277; 6:181, 259, 303, 322, 395, 435; 7:126, 309, 320, 340, 435; 8:90, 105, 113, 277; 9:260, 320, 431; 10:160, 163, 171, 195, 313, and see accidents, age distribution, anthropology, cancer, case histories, chemotherapy, clinical, demography, diagnosis, digitalis, epidemiology, genetics, hematology, immunology, morbidity, mortality, nervous system, pharmacology, physiology, psychology, public health, serology, toxicology, tuberculosis, virology, wound healing
Metameter, 5:261, 282; 6:101; 7:212, 327; 8:18, 324; 10:305, 306, 531, 544, and see metric
Metric, 1:27; 3:173; 4:4; 6:145; 9:11; 10:130, and see metameter, scales
Microbiological assay, 3:106; 5:280; 8:376, and see bacteriology, bioassay
Miller disc, 6:390
Minimax estimation, 6:188, 194; 10:36, 100
Minimum chi square estimate, 1:39; 5:85, 86, 166; 6:414, 432; 7:338; 9:376; 10:148, 178, 227
  computation of, 5:86
Minimum unlikelihood, 10:100
Minimum variance estimate, 3:163; 4:66; 6:28, 110, 224; 7:157; 8:92, 269; 9:91; 10:400
Missing values, 1:13, 14, 37; 2:35, 41, 94, 116; 3:94; 4:125, 241; 6:188; 8:42, 383; 9:256, 263, 425; 10:273, 298, 400, and see censored data, dummy variates, fitting constants, rejection of data
  computation of, 2:41; 3:28; 8:46
Mitscherlich's law, 7:248; 9:498
Mode, 1:73; 6:103; 9:191, and see mean, median
Models, see biometry, components of variance, hypothesis, learning theory, peck order, regression, structure, theory of errors, transformations, variance related to mean
  biological, 9:176, 275

genetic, 4:255; 8:389; 9:96, 340; 10:165, 237, 307
least squares, 10:304
mathematical, 1:27, 38; 2:74; 3: 4, 19, 104, 137, 145; 4:49, 135, 140, 201, 225; 5:65, 191, 214, 244, 261, 319; 6:169, 181, 186, 250, 330, 342, 353, 367, 437; 7:17, 99, 105, 115, 134, 185, 227, 269, 300, 335, 408; 8:2, 14, 173, 238, 264, 268, 271, 286, 315, 390; 9:32, 59, 75, 92, 131, 203, 212, 290, 305, 388, 412, 427, 465, 471, 529; 10:62, 102, 305, 310, 375, 390, 400, 408, 459, 480, 487, 517, 541
physical, see mathematical
probability, 6:286; 8:267
statistical, 3:162; 4:168; 5:76; 6:434; 7:134; 8:217; 10:236
stochastic, 9:278: 10:361
Moments, 2:13, 68, 96; 6:28, 374; 7:140, 277, 360; 8:18, 278, 326; 9:179, 360; 10:142, 152, 199, 397, 429, 464, 543
factorial, 3:58; 7:360, 402
generating function, 2:13; 6:30; 8:302, 328; 9:223; 10:464, 543
factorial, 7:121, 391
method of, 6:122; 7:142, 404; 8:20, 280, 292, 329; 9:179, 376, 485, 494; 10:548
Morbidity, 1:3; 3:58, 109; 4:51; 5:82, 243; 6:170, 172; 8:174
Mortality, 1:4, 12, 76; 3:58, 109, 175; 5:24, 34; 6:170, 252; 7:120, 155; 8:91, 173, 271, 272, 300, 308, 339; 9:212; 10:308, 313, and see acturial statistics, census, life tables
Most probable number, 6:105, 121, 127
Moving averages, 6:318, and see interpolation, time series, trend
estimation, 4:197; 6:414, 432; 7:302; 8:51, 250
Multifactor design, 9:304
Multinomial distribution, 2:12; 6:20, 186; 7:115, 269; 8:62, 114, 295, 389; 10:184, and see binomial
Multiple classification, 2:21; 7:1
Multivariate analysis, 3:3, 51; 4:50; 5:78, 81; 6:190, 259, 303, 372; 7:37, 106; 9:20, 259; 10:208, 518, and see analysis of variance, discriminant function, D statistic, factor analysis, Hotelling's T, matrices, multivariate distribution, multivariate tests, quadratic forms
computation, 6:268, 305, 373; 7:39; 10:209, 519
confidence limits, 7:53
homogeneity of error matrices, 6:386
Mutation, 7:133, 336; 8:86; 9:260; 10:373, and see radiology
social, 6:337
Natural selection, 1:7, 74; 6:353; 7:119, and see evolution, genetics
Nervous system, 3:182; 4:91, 140, 144, 153; 7:123; 8:37, 174, 267, 389; 9:279, 305, and see neural net, physiology, psychology, reaction time
Neural net, 4:93; 6:183; 9:279, and see model, nervous system, random net
Newton's method, 9:321
Nomography, 1:32, 40, 43; 3:62; 5:322, 330; 7:200; 10:320, and see computation, graphics, slide rule
table for construction, 5:334
Non-numerical data, 2:123; 3:50; 5:79, and see coding, contingency, scores
Non-orthogonal design, 10:513
Nonparametric tests, 1:80; 3:119; 6:177, 407; 7:36, 116; 8:14, 29, 33, 295; 9:109, 260; 10:62, 303, 532, and see order statistics, ranks, sign test
efficiency of, 1:81; 6:282
of trend, 6:282
Normal distribution, 1:74, 124; 3:14, 22; 4:95; 5:325; 6:145, 174; 7:233, 337; 8:18; 10:227, 429, and see Galton's quincunx, Hermite polynomials, logarithmic normal distribution, normality
bivariate, 1:71, 86; 2:101; 4:21, 50; 6:410; 9:261, 460; 10:542, 550
circular, 9:460
cumulative, 1:44; 8:268
multivariate, 10:518
truncated, 5:84; 6:187; 8:19, 319; 9:122, 261, 489
tables, 9:490; 10:539
Normal equations, 2:22, 35; 3:177; 4:178, 240; 7:11, 236, 249, 338; 9:293, 393; 10:65, 268, 274, 303, 336, and

see least squares, matrices, observation equations
Normality, 5:261, 279, and see g statistics, normal distribution
departure from, 3:26; 5:265, 279
deviation from, 8:117
non-normality, 3:23, 32; 5:109; 6:145, 191, 408; 7:6
test of, 1:76; 2:96; 8:18; 10:544
Nuisance parameters, 7:5, 19, 125; 10:304, 378
Nutrition, 2:27, 58; 4:49, 213, 267; 5:178, 250, 289: 6:282, 304, 319; 7:39; 8:92, 387; 10:302, and see vitamins
Obituaries, 2:31, 4:276; 7:221; 9:114
Observational equations, 2:7, 22; 9:392, and see least squares, normal equations
Odor, see organolepsis
Operating characteristic, 5:84; 6:63; 7:365; 8:300, and see sampling, statistical control, tests
Opinion research, 9:286, and see psychology, rumors, sampling
Optimum catch, 5:14, 213, and see fish
Optional stopping, 10:94
Order statistics, 6:177, 192; 8:40, and see extreme deviate, nonparametric tests, ranks
Organic variation, see biological variation
Organolepsis, 2:123; 4:80; 5:337; 6:1, 102, 206; 7:64; 8:75, 95, 96, 218; 9:22, 39, 107, 264, 296; 10:61, 167, 375, and see fatigue, food technology, judging, masking, psychology, scores, taste blindness, triangle test
flavor, 2:13; 3:104; 6:1; 9:1; 10:391, 521
number of samples, 6:1
odor, 2:11; 6:1
Ornithology, 3:59
Orthogonal arrays, 6:179, and see orthogonal squares
Orthogonal functions, 2:28, 29, 61; 9:395; 10:338
Orthogonality, 7:33, 47; 9:227, 260, 304, 468, 531; 10:184, 240, 255, 328, 341, and see comparisons
non-orthogonality, 1:77; 5:72; 9:227; 10:513
Orthogonal polynomials, 1:10, 20; 2:29, 61, 132; 6:180, 317, 384; 9:306, 392, 429, 434, 473; 10:171, and see curve fitting
Orthogonal squares, 6:180, and see Graeco-latin square, half-plaid square, Latin square, orthogonal arrays
completely, 4:111; 7:168; 8:73; 9:102
Overdominance, 4:263; 6:104, 219; 7:18
Pairing, see balancing, paired comparisons
Palatability, see organolepsis
Parallelism, test of, 1:58; 3:80; 4:104; 5:266; 7:210, and see regression
Parallelogram design, 9:467
Parasitology, 3:89; 6:59, 345; 7:310; 9:190, 460; 10:107
Partitions, 1:81; 6:19; 10:362
tables, 1:81
Path coefficients, 1:75; 9:347; 10:347, 359
Pearsonian distributions, 3:25, and see gamma distribution, Type VI distribution
Peck order, 6:104, 330; 9:283
Percentages, see proportions
Percantile, 2:74, and see quantile
Perennials, 2:61; 3:139; 10:503, and see field experiments, long-term experiments, tree crops
Permutation tests, 10:303, and see nonparametric tests
Pharmacology, 1:57; 2:34, 58, 82, 87, 95; 3:173; 4:153, 269, 271; 5:83, 289; 6:322; 7:123, 171, 227; 8:206, 218, 232; 9:263, 305, 431; 10:160, 246, 435, and see analgesia, chemotherapy, digitalis, selection of dosages, toxicology
Phylogeny, 7:121, and see taxonomy
Physical science, 2:103; 7:102, 257, 330; 8:386; 9:127, 275; 10:19, 103, 273, and see Brownian motion, chemistry, industrial research, radiology, spectrography
Physiology, 2:55; 3:65, 99, 173; 4:49, 100, 141, 153, 163, 269; 5:49, 71; 6:169, 172, 183, 395; 7:122, 185, 227, 275, 284,

301, 336; 8:37, 175, 186, 206, 267, 389, 390; 9:267, 431; 10:221, 307, 313, 442, and see endocrinology, medicine, nervous system, nutrition, respiration, threshhold
phytopathology, see plant pathology
Pitman and Morgan F test, 1:71; 2:55
power of, 1:71
Placebo, 2:87, 95; 8:218, and see selection of experimental units
Plankton, 1:49; 6:142; 9:190
Plant breeding, 1:13; 2:28, 36, 75, 77; 3:180; 4:75, 120, 261; 5:252; 6:146, 166, 200, 226, 318; 7:18, 39, 75; 9:39; 10:240, 298, and see animal breeding
Plant pathology, 1:41; 2:81; 6:344, and see fungicides
Plant physiology, 6:174
Plot size and shape, 6:202; 7:300; 9:158, 414; 10:175, 503, and see block size, borders
Poisson distribution, 1:43, 44, 51, 76, 85; 2:2, 76, 82, 97; 3:32, 41, 90, 166; 4:95; 5:83, 129, 162, 165; 6:17, 180, 193, 291, 391; 7:355, 395; 8:55, 178, 287, 384; 9:176, 209, 320, 354, 427; 10:135, 167, 224, 229, 248, 304, 419, 486, 524
compound, 7:400; 8:275
double, 9:192
modified, 6:173
Thomas double, 6:103; 9:192
truncated, 4:137; 8:275; 9:485; 10:402
tables, 10:405
Polya distribution, 2:76; 6:103; 9:192
Pooling, 1:61, 63; 2:58; 3:25, 31; 4:272; 5:176; 6:270, 285; 7:79, 289; 9:339; 10:106, 458
multivariate analysis, 6:386
Populations, 1:7, 11, 27, 44, 73, 77; 2:1, 48, 76, 3:58, 59, 113, 145, 193; 4:21; 5:76, 78, 80, 115, 213; 6:103, 146, 219, 250; 7:275, 300, 301, 332; 8:17, 269, 271; 9:47, 109, 117, 212, 278, 336; 10:362, and see demography, distributions, fish, statistical genetics
estimates, 3:145; 8:89, 272, 391; 10:181
finite, 1:69; 2:11; 3:119; 5:205; 7:3, 98, 156, and see sampling
management, 1:31, 75; 5:14, 116, 213, and see ecology
virtual, 5:32
Poultry, 1:11, 25, 62; 2:34; 3:89; 4:213, 240; 5:176, 178, 250, 264, 277; 7:126, 215; 9:256; 10:103, and see peck order
egg production, 2:56; 4:223
egg shape, 9:336
Precision, 1:10, 14, 30; 2:28, 53, 78; 4:108, 127, 197, 230; 5:68, 142, 189, 307, 331; 6:107; 7:85, 102, 203, 315; 8:85, 170, 177, 244; 9:59, 158, 177, 293, 452, 531; 10:109, 261, 286, 294, 301, 503, and see information
of measurement, 7:36; 8:235
Prediction, 1:87; 2:61, 102; 3:181; 4:13, 50, 141, 184, 247; 5:14, 38, 207; 6:398; 7:75, 365, 374; 8:29, 272; 9:47, 261, 530; 10:309, and see conclusions, inference, judging, regression
accuracy of, 6:184
Preferences, see organolepsis
Probability, 1:81; 2:12, 38, 49, 82, 106; 3:119, 162: 4:2, 99; 6:109, 163; 6:20, 63, 106, 128, 332; 7:134, 180, 276, 392; 8:91, 173, 199, 222, 279; 9:54, 177, 266, 276, 321, 523; 10:63, 94, 131, 229, 402, 459, and see characteristic functions, distributions, proportions, random variables, sampling, tests
combination of, 9:16
conditional, 8:295; 10:347, and see conditional distribution
generating function, 7:391; 9:277, 357
inverse, 5:292; 6:109
paper, 2:74; 5:339; 6:180; 7:302, 328
posterior, 10:100
transition, 10:348, 361
Proportions, 1:42, 43; 3:45, 56; 4:211; 6:178, 298, 390; 8:1, and see binomial distribution
Pseudo-effects, 5:145
Pseudofactor, 9:297
Pseudofactorial design, 2:115; 4:54, 110; 5:1, 145; 6:35; 9:299
Pseudovariate, see dummy variates

Psychology, 2:73, 87, 103, 124; 3:99; 4:98, 140; 5:76, 78, 79, 80; 6:1, 184, 262, 435; 7:36, 114, 275, 341; 8:169, 218, 268, 290; 9:4, 287; 10:94, 302, 313, 442, and see accidents, attenuation, case histories, communications, factor analysis, judging, learning theory, medicine, nervous system, opinion research, organolepsis, peck order, placebo, reaction time, reliability, rumors
Public health, 1:52; 3:110, 123; 5:82, 95, 96; 7:309; 8:174; 10:119, 185, and see epidemiology, medicine
Quadratic forms, 6:185, and see multivariate analysis
Quadrat sampling, 1:31, 47; 5:163; 9:189, 369; 10:402, and see ecology
Qualitative data, see non-numerical data
Quality, see interaction of quality and quantity, organolepsis, statistical control
Quantal response, 1:60; 2:34, 95; 3:62, 175; 4:91, 197; 5:83, 274, 288; 6:328; 7:120, 333; 8:19, 95, 179; 9:467; 10:130, 178, 185, 306, 534, 556, and see bioassay, models
Quantification, see scales
Quantile, 8:30; 9:47, and see percentile, quartile
Quantitative analysis, 3:61; 4:234; 5:195, 329; 6:118; 7:102; 8:85, 264; 9:87, 135; 10:407
Quartile, 3:56; 8:288, and see quantile computation of, 3:57
Quasifactorial design, see factorial experiments, lattices
Quasilatin square, 9:158
Radiology, 2:97; 3:60; 4:139; 6:123, 169, 184; 7:126, 336; 8:86, 90. 339; 9:201, 280; 10:282, 371, 455, and see mutation, Poisson distribution
Randomization, 2:18, 29; 3:19, 24, 33, 72, 176; 5:145, 178, 279; 6:35, 201, 317; 7:47, 288, 309; 8:75, 171, 189, 219, 234; 9:300; 10:184, 299, 522, and see selection of data
  angular, 9:260, 305
  restricted, 6:323
Randomized blocks, 1:13, 16, 31, 42, 85; 2:7, 15, 16, 31, 36, 41, 54, 61, 78; 3:25, 40; 4:54, 103, 192, 234, 244; 5:145, 169, 174; 6:44, 301; 7:115, 316; 8:42; 9:31, 306, 416; 10:400, 516, and see balancing, incomplete blocks, interblock error, interblock information, split plots, systematic designs
Random mating, 4:254; 7:18
Random net, 9:280
Random numbers, 5:106, and see random sampling
Random process, 4:3; 8:173, and see stochastic processes
Random variable, 2:106; 3:9, 57, 165; 5:191; 6:14, 190, 193, 194, 284; 7:18; 8:13, 124, 287; 9:49, 275, 469; 10:178, 460
Random walk, 1:7; 9:281, 460, and see random net
Range estimate of variance, 2:73; 5:288, 331; 6:437; 7:222; 9:79, 523
  table, 9:89
Range, significance of, see tests
Ranks, 1:44, 80; 2:38, 67, 76, 3:47, 104, 119, 138; 6:1, 177, 282; 7:114, 125; 8:33, 95, 96; 9:31, 45, 108, 260, 264; 10:63, 375, 391, 487, and see birth rank, nonparametric test, order statistics, scores, transformations
  rank tests, power of, 9:32
  tables, 1:81; 3:121; 6:285; 8:37
  tied, 1:80; 8:38, 114; 9:109; 10:64
Rate, average, 3:55
Reaction time, 3:172, 182, and see nervous system, psychology
Recombination, 1:28; 4:1; 6:221; 10:164, and see linkage
Rectangular distribution, 3:119, 194; 8:116; 10:182
Recurrence formulas, 9:356
Reed-Muench method, 4:197; 6:413, 432; 7:295; 10:147
Regression, 1:15, 27, 31, 58, 75, 86; 2:15, 27, 37, 83, 101; 3:3, 8, 36, 47, 55, 57, 97; 4:22, 157, 182, 247, 255; 5:68 87, 123, 140, 175, 237, 245, 261; 6:3, 184, 329; 7:64; 8:19, 115, 384; 9:90, 392; 10:212, and see adjusted means, canonical analysis, correla-

tion, covariance, error regression, fitting regression line, orthogonal polynomials, prediction, scatter diagram, scedasticity, statistical control, structure, trend
asymptotic, 5:320; 7:247; 9:498, and see exponential regression
tables, 7:254; 9:514
adjustment, 1:30; 2:53; 3:34, 103; 7:186; 9:267, 312;
analysis, 3-61; 6:294; 7:33; 8:89, 115; 9:90, 170, 267, 304; 10:56, 173, and see analysis of covariance
both variables subject to error, see fitting regression line
coefficient, 2:102, 105; 5:69; 6:168; 7:45; 8:269; 10:178
biased, 9:528
nonsignificant, 1:59
coefficients equal, 4:250
curvilinear, 1:9, 10, 31, 41, 44; 2:25, 28, 61, 63; 3:137; 4:106, 132, 175, 182; 5:51, 68, 282; 6:5, 120, 166, 294, 384; 7:234, 301, 324; 8:89; 9:307, 388, 401, 445, 473; 10:184, 558, and see asymptotic, exponential hyperbolic
dependent variable, 2:15, 4:27; 5:73; 6:303; 9:267
deviations from, 1:86; 3:8; 5:179; 6:296
direct, 2:109
equation, 3:103; 4:247; 5:228; 6:5; 7:187, and see regression line
exponential, 3:149; 7:126, 135, and see asymptotic regression
heterogeneity of, 1:11; 2:28; 3:61; 4:132, 167; 6:329; 7:193; 9:475
homogeneity of, 3:66
hyperbolic, 2:63
independent variable, 2:15, 109; 4:27, 49; 5:73, 179
affected by treatments, 6:166, 303; 7:51
integral, 2:29
intercept, 3:61, 66; 5:229; 6:210; 7:261; 8:89
internal, 7:187
inverted, 2:109
line, 2:105; 4:159; 8:269; 9:119, and see regression equation
model, 8:374
multiple, 3:3; 4:50, 160; 5:119; 6:185, 251; 7:33, 64, 118, 188, 249, 301; 8:95, 372; 9:467, 528; 10:29, 306
nonlinear, see curvilinear
of variance, 9:267
on time, 2:29, 61; 6:282
partial, 2:23, 29; 5:175; 6:168, 293; 7:198; 9:528; 10:213
polynomial, 2:28; 3:137; 6:180, 230, 317, 437; 7:188, 247; 9:306; 10:4, 28
selected data, 2:103; 3:55
transformation, 1:43
weighted, 10:434
Rejection area, 1:70; 2:17; 6:63; 8:185, 299; 9:25, 10:311, and see acceptance area computation of, 6:62; 8:185
Rejection of data, 2:41, 95; 3:27; 4:270; 8:243; 9:12, 74, and see gross errors, missing values, selection of data
test for, 3:27; 9:84
Reliability, 7:61
Replication, 1:13, 50; 2:18; 3:61, 176; 4:54, 110, 215, 237; 5:178, 195; 6:290, 302; 9:148; 10:175, 506
fractional, 4:59; 5:73; 6:228, 233, 319; 9:295; 10:4, 45, and see aliases, defining contrast
hidden, 6:234
in time, 1:16; 6:229, and see cross-over design, Latin square in time, rotating factors
Reproductive rate, see birth rate
Research in statistical methods, 1:6, 23, 53; 2:33; 3:24; 6:75, and see sampling studies of statistical problems
Residual effects, see carry-over effect
Residuals, see theory of errors
Respiration, 6:183
Response rate, 9:265; 10:91
Response surface, 10:16
Response time, see time response
Reversal experiments, see cross-over design
Risk function, 10:169, 318
Robertson's equation, 2:37
Rotating factors, 6:312, and see replication in time
Rotation experiments, 10:324, and see long-term experiments

Rumors, 8:268; 9:285, and see epidemiology, opinion research, psychology
Sample size needed, 2:35, 95, 120; 6:107, 167, 174, 182, 294, 325, 402, 424; 7:7, 157; 10:32, 168, 317, 420, and see average sample number, organolepsis
tables, 10:320
Samples, small, 6:113, 414; 7:136; 10:485
Sampling, 1:43, 47, 49; 2:48, 77; 3:8, 19, 163, 193; 6:59; 7:83, 97, and see census, components of variance, design of experiments, distributions, field sampling, mail surveys, operating characteristic, opinion research, quadrat sampling, response rate, soil
balanced, 8:110
correlation in, 5:172
cost of, 1:34, 67; 2:2, 10; 4:231, 237; 5:189; 6:402; 7:93, 157
double, 1:29; 6:66; 7:275; 10:94, 167, 317
ecological, 3:158
error, see variance
experiments, see sampling studies
grab, 4:234
inverse, 6:291; 7:300; 8:286; 10:89
multiple, 8:286
multivariate distribution, 8:94
nested, 5:189
optimum, 4:239; 5:189; 7:86; 8:270
panel, 8:270
probability, 8:91
random, 1:29, 77; 3:101; 4:223; 8:94
schedule, 7:95
selective, 1:76; 2:48; 3:101, 193
sequential, 6:59; 7:300; 8:286; 9:191; 10:89
stratified, 1:48; 3:158; 5:174, 205; 7:155, 301; 10:103
studies of statistical problems, 3:24; 5:106; 7:338; 9:87, 447; 10:178, 303, 305, 466
surveys, 3:117; 5:82, 165; 8:10, 92, 100, 183, 245, 386; 10:91, 479
systematic, 1:29, 48; 2:3; 3:102; 4:223
time series, 9:264
Sanitary engineering, 6:117, 127, and see bacteriology, chemistry
Scales, 3:50; 5:77, 80; 6:1, 145; 7:114, 122; 9:29, 109; 10:166, 481, and see fish, metric, scores
Scatter diagram, 5:30, 41, 51, 122, 172, 230, 238, 247
Scedasticity, 3:12; 4:25; 5:261, 283; 6:10, 101, 377; 7:366; 9:471, and see homogeneity of variance
Scores, 1:43; 2:11, 68, 124; 4:272; 5:78, 340; 6:1, 178, 213, 221, 227; 7:114, 268, 380; 8:7, 112; 9:1, 24, 40, 118, 180, 197, 264, 267; 10:131, 184, 309, 376, 435, and see discriminant function, organolepsis, ranks, scales
analysis of, 3:50; 9:29; 10:63
for ranks, 1:80; 3:49; 9:29
Selection, see balancing, design of experiments, genetic selection, natural selection, optional stopping, randomization, rejection of data, sampling
of comparisons, 1:26; 3:28, 139, and see tests of results suggested by data
of data, 2:103; 3:55; 5:46; 7:47, 104; 8:243; 9:193, 265; 10:387, 549
of dosages, 5:83, 289; 8:219, 246; 9:263, 306, 332, 428, and see selection of levels
of experimental units, 1:31; 3:19, 175; 4:211; 5:178, 279, 301; 8:169, 214, 234, and see placebo
of judges, 4:81
of levels, 7:252; 9:428, and see selection of dosages
of method of statistical analysis, 6:319
of parameters, 8:17
of significance level, 1:50; 8:196
Semiweights, 10:109
Sensory tests, see organolepsis
Sequential experiments, 2:113; 6:59, 228, 230, 245; 8:183, 188, 286; 9:24, 262, 428, 523; 10:5, 30, 89, 169, 317, and see average sample number, design of experiments
Serology, 1:20, 37; 3:50, 70, 173; 4:141, 143, 197; 5:277, 289; 6:323, 345; 9:61; 10:172, 445, and see blood groups, complement fixation, hematology, immunology

Service, computing and consulting, 1:6, 23, 47, 53, 83; 2:33, 71; 5:256
presentation of results, 10:54
Sex ratio, 2:58; 3:100; 5:49, 86; 8:388; 9:212; 10:93
Sheppard's correction, 1:76; 8:18; 10:157
Shrimp, 8:323
Significance, see selection of significance level
nonsignificance, 1:8; 2:113; 6:143, 294
Significant cut, 7:50
Sign test, 1:81; 2:95; 8:295; 9:109; 10:487, and see nonparametric tests
Simultaneous equations, see matrices
nonlinear, 1:11
solution, 2:23; 4:240
Skewness, 2:68, 73; 3:25, 174; 5:263, 287; 6:14, 103, 114, 174; 8:332; 9:11; 10:183, 196, 429, 543, and see moments
Slide rule, probit, 1:46, and see computation, nomography
Sociology, 2:70; 5:77, 86; 9:283, and see communications, economics, mutation, opinion, peck order, psychology, rumor
Soil heterogeneity, 1:13; 3:34; 4:113; 6:318; 10:103, and see agronomy, field experiments
Soil sampling, 1:77; 5:174; 8:386, and see field sampling
Soil science, 1:27, 30; 2:5, 28, 64; 3:29; 7:301; 9:189
Soil treatment, 10:291
Spectrography, 9:135
Split plots, 1:14, 16, 31; 2:43; 4:118, 211; 6:164, 301, 368; 9:31, 157, 298, 429, 533
Staggered design, 4:195
Standard deviation, see variance
Standard error, see variance
Standard variety, 1:13, 14; 2:30; 6:202, and see check plot
Statistical control, 4:157; 5:77, 175; 6:435; 8:169; 9:260, and see analysis of covariance, concomitant variables, control chart, cross-over experiments, operating characteristic, sampling
of gradient, 10:282
of quality, 1:10; 4:125; 5:83; 6:229; 7:15; 9:259; 10:317
Statistics curricula, 1:5, 22, 33, 52, 65, 83; 2:32, 70, 98; 3:179; 4:87, 220; 5:94, 96, 344; 6:87, 231; 7:130, 449; 8:100; 9:116, 273, 518, 538; 10:160, 161, 162, 192
Steepest descent, method of, 9:65, 10:6, 30
Stochastic processes, 3:164, 174; 4:99; 5:89; 6:92, 219, 251; 7:121, 358; 9:212, 260, 275; 10:22, 201, 347, 361, and see correlated errors, economics, Markov, random processes, time series
Structure, 7:36; 10:308
Studentized extreme deviate, 5:107
Student's t, see t test
Subjective evaluation, see judging, organolepsis, psychology
Successive approximation, see iteration
Sufficient statistics, 6:17; 7:338; 8:173, 292, 391; 9:463; 10:150, 170, 178, and see efficiency, estimation
Surveys, see sampling
Survival curve, 9:201; 10:371, 531, and see wear curve
Survival time, 3:175; 6:99, 104, 120; 8:37, 90, 271, 308; 10:555
Switchback design, see cross-over design
Symmetry, 5:81; 6:259
Systematic designs, 6:318; 7:167, 309; 8:169, and see randomization
Tables, miscellaneous, 1:69; 2:4, 12, 68, 69; 3:41; 5:86, 106; 6:115, 354; 7:219, 281; 8:200, 279, 305; 9:324, 450, 487; 10:29
graphical, 6:426; 7:206; 10:55, 320
Taste blindness, 1:21
Taste tests, see organolepsis
Taxonomy, 1:39, 55, 74; 6:184; 7:182; 8:172, 177; 9:117, 176, and see evolution, genetics, phylogeny
Teaching of statistics, 5:96; 6:85, and see statistics curricula
aids, 2:97
methods, 5:95
Tests, 3:3, 22, 40, 137; 4:214; 5:75, 84, 236; 6:14, 17, 100, 114, 179, 192, 237, 298, 400; 7:13; 8:11, 36, 275; 9:11, 45; 10:92, 167, 375, 479, and see acceptance area, analysis of variance, approximate significance

levels, chi square, conclusions, confidence limits, duo-trio test, F test, future action, goodness of fit, g statistics, Hotelling's T, inference, least significant difference, likelihood ratio test, nonparametric tests, nuisance parameters, null hypothesis, operating characteristic, ranks, rejection area, rejection of data, sign test, significance, significant cut, small samples, studentized extreme deviate, triangle test, t test
approximate, 1:26; 5:75, 84, 101, 211; 6:308
choice of, 7:51
combination of, 1:84; 3:125; 5:338; 9:76, 255; 10:433
combinatory, 10:311
composite, 5:75; 7:18, 73; 9:531; 10:410
compound symmetry, see symmetry tests
destructive, 6:229
distribution-free, see nonparametric
efficiency, 1:81; 6:167
exact, 3:19; 5:101; 6:299; 8:116; 9:305; 10:73, 420, 446. 516
interpretation of, 1:8, 26, 38, 70; 2:10, 14, 16, 27, 29, 38, 47, 56, 95, 107, 113, 123; 3:98; 4:264; 7:299, 312; 9:398; 10:417, 445
logic of, 1:47, 51; 2:29
metal, see psychological
multiple, 5:84; 9:262, 531; 10:168, 447
multivariate, 4:50; 5:78, 81; 6:259, 308, 374; 7:51; 9:20; 10:211
non-normal data, 2:73; 5:242; 6:191; 10:303
normality, 8:18
of significance of
  correlation, 1:71; 2:27; 3:54; 4:163; 6:251
  difference, 6:114
  difference between adjusted means, 2:46, 54, 58; 4:244
  difference between means, 1:74; 5:100; 8:33
  difference between proportions, 2:95; 3:100
  difference between regressions, 3:47
  differential viability, 7:271
  dominance deviation, 4:263
  extreme deviate, 3:28; 9:84; 10:425
    table, 9:89
  fitted constants, 2:23
  largest value, see extreme deviate
  largest difference, 1:26; 5:99, 250; 7:299
  linearity of regression, see linearity
  mean difference, 2:95
  multiple correlation, 2:27
  non-additivity, 5:84
  non-normality, 3:26
  range, 1:26; 2:16
  regression, 2:62; 4:160, 249; 6:282; 8:115, 384
  regression intercept, 3:66
  results suggested by data, 5:100; 6:166; 9:74, 534; 10:425
  trend, see regression
one-sided, 1:60; 3:25, 119; 8:204, 391; 10:70, 543, and see two-tailed tests
power of, 1:49; 3:22; 6:179, 189; 8:222, 391; 9:75, 84; 10:142, 303, 417, 449, 479
psychological, 5:77, 78; 8:388; 9:265, 267
range, 9:262, and see tests using range
robust, 10:303
sensitivity, 6:229
sensitivity of, 2:96; 3:22; 5:176; 6:305; 10:417, 458
sequential, 6:61; 10:311
  power of, 10:312
studentized, 5:101
successive, 5:100
symmetry, 5:81; 6:259
  tables, 6:280
transformations, 5:284
two-tailed, 1:70; 2:56; 3:24; 4:264; 6:286; 7:19, 222; 8:36, 391, and see one-sided tests
using range, 5:105, 333
validity of, 2:18, 47; 8:170; 10:290, 401, 436, 479
variances heterogeneous, 6:14; 10:303, and see Behrens-Fisher test
z, see F test
normal deviate, 1:60; 6:412; 7:26; 10:429

random, 5:106
Tetrads, 4:11; 6:182; 7:60
Tetraspores, 7:118
Theory, see hypothesis, model
Threshold, 8:15, 175, 388, 389, 390; 9:263, 279; 10:185
Time response curve, 3:172; 4:166; 6:99, 174, 344; 7:120; 8:13, 307; 9:445; 10:531, and see dose response curve, extinction time
tables, 8:353
truncated, 7:120; 10:531
Time series, 1:16; 3:57; 5:243, 337; 6:176, 191, 283, 364, 437; 9:264, and see correlated errors, cycles, economics, harmonic analysis, moving averages, stochastic processes
Toxicology, 1:4, 42, 48, 80, 85; 2:57; 3:44, 172; 5:83; 6:298, 326; 7:120, 321; 8:13, 249, 311; 10:143, 155, 291, 310, and see bioassay, pharmacology
Transformations, 1:85; 2:76; 3:26, 39, 174; 4:91, 197, 211; 5:73, 86, 166, 237, 261, 282; 6:145, 180, 210, 343, 345, 437; 7:120, 212, 235; 8:249; 9:50, 191, 209, 427; 10:62, 130, 563, and see additivity, analysis of variance, bioassay, canonical analysis, logistic curve, models, variance of function
angular, 1:15, 43; 3:45, 62; 6:10, 180, 321; 8:2; 9:45, 467; 10:130, 447
table, 9:470
arc hyperbolic sine, 3:43; 9:384
arc sine, see angular transformation
by differencing, 6:364
choice of, 8:2; 10:564
effect of, 2:74; 3:174
empirical, 10:137
equivalent deviate, 9:467
inverse sine, see angular transformation
legit, 6:357; 10:131
table, 6:357
linear, 6:378
logarithmic, 1:11, 43; 2:74; 3:25, 39, 43, 195; 5:72, 264; 6:114, 146; 7:113, 174; 8:217; 9:290, 425; 10:196, 263, 412, 532, 564
log $(x + c)$, 2:74; 10:147, 564
logit, 1:39; 3:49, 62; 4:199; 6:321, 359, 432; 7:302, 327; 8:8; 9:471; 10:131, 148, 228, 310, 399, 443
loglog, 5:130; 10:131
table, 5:136
normal deviate, 3:49, 104; 9:32, 108
of percentages, 3:49
of ranks, 2:76; 9:32, 108; 10:392, 525
probit, 1:31, 39, 41, 42, 57; 3:41, 47, 62; 4:199; 5:83, 85, 86, 130; 6:225, 321, 359, 413, 424, 432; 7:302, 327; 8:2, 18, 96, 120, 179, 249, 310; 9:329, 468; 10:130, 173, 228, 306, 310, 314, 399, 443, 534, 556
slide rule, 1:46
tables, 5:85, 86; 6:426
reciprocal, 6:101; 10:532
rectangular, 9:471
selection-diffusion, see legit transformation
square-root, 1:43, 85; 2:74; 3:41, 91; 6:180; 7:174; 8:384; 10:135, 446
table of, 3:52
triangular, 6:186
z, 3:45, 98, 127; 8:2; 10:137
Tree crops, 6:164, 168; 8:89; 9:428, 429; 10:176, and see field experiments, long-term experiments, perennials
Trend, 1:38; 2:5, 61; 3:137, 154; 4:184; 5:41, 76; 6:229, 241, 282, 312, 218; 9:260, 304, 339, 429; 10:421, and see regression, time series
essential, 6:287
Triangle test, 4:80, 5:337; 6:102; 9:24, 43; 10:521
Truncation, see censored data, and under various distributions
artificial, 10:549
partial, 10:536
T test, 1:8, 26, 38, 59; 2:13, 27, 38, 96; 3:14, 24, 98, 101; 4:214, 272; 5:101, 124, 210, 337; 6:123, 191, 298; 7:52, 125, 299, 315; 8:5, 222, 384; 9:16, 32, 66, 109, 314, 531; 10:96, and see Behrens-Fisher test, confidence limits, Hotelling's T
computation, 7:315
noncentral, 8:29
non-normal data, 6:191
one-sided, 3:25; 5:287

power of, 1:50; 7:312; 8:222
two-tailed, 3:24
Tuberculin, 3:173; 4:100; 5:300
Tuberculosis, 3:133; 4:204; 6:172; 10:195, 313
Twins, 8:187; 9:265
Type III distribution, see gamma distribution
Type VI distribution, 6:321
Unequal subclasses, 7:11, and see disproportionate subclasses
Uniformity data, 3:26; 4:100, 115; 5:144; 6:34; 7:168, 300, 310; 9:412, 429
U-shaped distribution, 2:88; 8:223
Variance, see Behrens-Fisher test, biological variation, coefficient of variation, covariance, *F* test, genetics, incomplete beta function, index of dispersion, mean square error, Sheppard's correction, significantly small *F*
about regression line, 2:105; 3:137; 5:69; 7:189, 260; 9:502
analysis of, 1:15, 16, 25, 26, 38, 42, 70, 77, 80, 85, 86; 2:7, 14, 16, 25, 26, 31, 36, 37, 56, 58, 76, 78, 84, 87, 89, 110, 118, 123; 3:1, 22, 49, 72, 91, 97, 137, 138, 195; 4:40, 55, 64, 101, 111, 132, 135, 173, 235, 245, 256, 267; 5:11, 68, 72, 84, 88, 99, 169, 174, 176, 192, 232, 250, 279; 6:8, 25, 99, 178, 259, 293, 295, 368; 7:3, 21, 37, 76, 85, 98, 125, 174, 290, 433; 8:57, 74, 86, 122, 169, 238, 265, 374, 382, 384; 9:14, 30, 45, 75, 131, 145, 163, 244, 263, 300, 337, 387, 422, 429, 434, 468, 501, 528; 10:62, 105, 130, 165, 167, 185, 196, 235, 259, 273, 283, 291, 300, 302, 308, 327, 401, 431, 490, 562, and see additivity, analysis of covariance, chi square, combination of data, components of variance, degrees of freedom, disproportionate subclasses, errors, fitting constants, *F* test, harmonic analysis, incomplete experiments, interaction, interblock error, interblock information, intrablock error, least significant difference, least squares, linear hypothesis, long-term experiments, main effect, missing values, models, multiple classification, multivariate analysis, orthogonal polynomials, pooling, regression, separation of variance, tests, transformations, uniformity data
computation of, 1:18, 85; 2:36, 38, 116; 3:6, 30, 47, 137; 4:65, 104, 173, 212; 5:5, 149, 234, 330; 6:35, 180; 7:124, 289; 8:78, 141, 370; 9:168, 308, 391; 10:76, 257, 333
incomplete data, 10:345
interpretation of, 2:37, 63; 5:84, 99; 6:293; 7:70; 8:384; 9:170, 389; 10:187
of variances, 7:113; 8:217
power of, 9:75
proportional subclasses, 7:70
approximate, 2:54; 3:167; 4:185; 9:60; 10:470
asymptotic, 7:10, 137; 8:24, 318; 9:182, 261, 486; 10:404, 548
biased, 8:347; 9:79
complex, 2:110; 3:64; 4:135
components, 1:18, 25, 43; 2:7, 15, 27, 34, 37, 77, 110; 3:4, 31, 75, 92, 98; 4:64, 107, 127, 135, 223, 234, 254; 5:72, 151, 189; 6:8, 25, 80, 346, 368; 7:1, 17, 36, 70, 75, 83, 97, 258, 287, 301; 8:58, 238, 265; 9:226, 262, 337; 10:57, 155, 165, 239, 304, 330, 408, and see components of covariance
computation of, 1:18; 5:192; 6:179; 9:227
confidence limits for, 6:136; 7:55, 80
interpretation of, 9:345
negative, 6:137; 7:4, 41, 89
variance of, 2:9; 7:55, 77
with covariate, 7:12
composite, see complex variance
conditional, 9:65
distribution of, 2:9; 7:80; 8:177
effective, 5:156
error, 1:42, 56; 2:3, 31; 3:23, 35, 75, 94; 4:156, 181, 212, 215; 5:5, 265; 6:25, 43; 7:3, 14, 58; 8:58, 93, 125,

170, 239; 9:132, 173, 256, 306, 473; 10:32, 504
estimated, 9:447
homogeneity of, 1:42, 63, 74; 3:12, 92, 195; 4:125; 5:263; 6:14, 259; 7:19, 103, 113, 189; 8:242; 9:11, 61, 210, 427, 468; 10:104, 244, 516, and see heterogeneity of error, scedasticity
multivariate analogue, 6:386
interblock, 2:58; 5:5, 151; 6:25
intrablock, 2:58; 5:5, 154; 6:25, 43
matrix, see covariance matrix
mean, 3:47; 4:71, 110; 5:156; 6:49; 8:132; 9:148, 221
minimum, see minimum variance estimate
negative, 5:72
of adjusted mean, 2:42, 53, 58, 118; 3:77; 4:71; 6:27; 7:292; 10:70
of asymptote, 7:259
of chi square, 10:462
of count, 8:59
of criterion, 6:259, 285
of dependent variable, 1:37
of difference, 2:113; 9:312
of difference of adjusted means, 4:71, 181, 244; 5:6, 86, 156, 159; 6:27, 47; 8:43, 78, 125; 9:131, 148; 10:71, 261, 277, 288
of difference of means, 2:36, 46; 6:248; 8:42; 9:533; 10:336
of estimate, 3:166; 4:106; 6:218, 401; 7:137, 156; 8:5, 27, 279, 333; 9:94, 181, 202, 293, 321, 400, 463, 486, 508; 10:178, 230, 404
of estimate of component of variance, 7:4, 87
of estimate of heritability, 10:312
of estimate of independent variable, 5:141
of extrapolation, 7:257
of function, 2:96, and see variance of linear function
of gene frequency, 1:27
of intercept, 3:61; 5:140; 7:261
of linear function, 3:11; 10:424, and see variance of function
of mean, 4:135; 5:191, 205; 7:86, 97, 312; 8:388; 9:59, 173; 10:105
partially weighted, 10:127
unweighted, 9:451
weighted, 9:59, 449; 10:126
of mean difference, 2:31
of mean score, 10:437
of median, 9:75
of product, 6:411; 7:301; 8:108
of proportion, 1:15; 6:391; 9:291; 10:480
of rank total, 3:119
of ratio, 5:335; 6:411
of regression coefficient, 1:37, 60; 2:34; 4:30; 5:140, 208; 7:65; 9:313
of regression estimate, 4:252, and see variance of adjusted mean
minimum, 9:332
of scores, 6:8
of sex ratio, 3:101
of total, 2:31; 8:112
of variance, 2:110; 3:45; 9:66, 267, 463
pure, see components of variance
ratio, 1:70; 2:28, 37, 55, and see *F* test
rectangular lattices, 5:85
regression on age, 9:267
related to mean, 2:3; 3:23, 32, 40, 91; 5:72, 301; 6:1, 100, 129, 318, 435; 9:45, 468; 10:117, 196, and see correlation of mean with variance
replacement, 7:56
sampling, 3:92, 100, 163; 4:226, 235; 5:174, 189, 340; 6:60; 8:287; 9:173, 176
separation of, 7:103, and see components of variance
subnormal, 3:175
test of, 10:421
theoretical, 9:471
Vector methods, see multivariate analysis
Viability, differential, 4:5; 5:305; 7:270
Virology, 1:43, 63; 2:34, 81; 4:205; 6:169; 7:320; 10:229, 511, and see half-leaf method, plant pathology
mixed infections, 2:82
Vital statistics, see actuarial statistics, birth rate, clinical statistics, death rate, demography, medicine, morbidity, mortality, sex ratio
Vitamins, 1:37; 6:294
A, 1:62, 3:173
ascorbic acid, 1:4; 2:78

B, 5:277; 8:371
D, 1:62; 2:34; 4:49; 5:277; 6:321; 7:215
E, 1:61
riboflavin, 2:78
thiamine, 2:78
Wear curve, 6:362, and see survival curve
Weber-Fechner law, 1:43
Weighted squares of means, method of, 2:10, 24; 4:244; 9:264
Weighting, 1:39, 41, 48, 49, 60; 2:12, 58 117; 3:11, 29, 41, 47, 62, 78, 99, 102; 4:66, 119: 5:5, 86, 130, 157, 168, 303; 6:10, 26, 43, 224, 319, 360; 7:64, 190, 289, 302; 8:8, 93, 115, 133; 9:34, 59, 91, 117, 267, 291, 427, 468, 495; 10:101, 133, 155, 335, 412, 431, 443, 546, and see semiweights
efficiency of, 9:447
partial, 10:119
Wood decay, 6:296
Wool sampling, 7:83
Wound healing, 4:51; 8:224, and see growth
X-rays, see radiology
Yates' correction, see continuity correction
Youden squares, 2:36, 83; 7:117; 10:155, 251, 507
Zoology, 3:59; 7:300; 10:162
Z test, see *F* test